



TRUCK & BUS

GT MILER SUPER

DESIGNED FOR PAVED ROAD APPLICATION

- ▶ Maximum handling and braking performance on wet and dry surface.
- ▶ More comfortable ride and better steering response. Excellent grip to prevent slip.



SIZE	RIM	MAX LOAD (kg)	
		S	D
640 x 13 8PR	5.0	750	710
650 x 14 8PR	4.5	840	795
700 x 14 8PR	5.0	785	750
650 x 15 8PR	4.5	875	835
650 x 16 10PR	5.5	1,010	960

GT MILER

DESIGNED FOR USE ON HIGHWAYS & NORMAL ROADS

- ▶ Provides maximum load carrying capacity and excellent riding stability at both maximum load condition and empty condition.
- ▶ Provides excellent grip on both dry and wet surface.
- ▶ Increases traction and long lasting.



SIZE	RIM	MAX LOAD (kg)	
		S	D
825 x 20 14PR	6.5	2,030	1,930
900 x 20 14PR	7.0	2,415	2,300
1000 x 20 16PR	7.5	3,000	2,650
1100 x 20 16PR	8.0	3,350	2,900

GT MILER SUPER 88N

DESIGNED FOR PAVED ROAD APPLICATION

- ▶ Good for heavy load and quick heat dissipation for longer and further operation.
- ▶ Excellent grip on dry and wet surface and better acceleration.
- ▶ Maximum water dispersion on wet surface. Optimum handling on heavy load condition.



SIZE	RIM	MAX LOAD (kg)	
		S	D
500 x 12 8PR	3.5	485	465
600 x 14 8PR	4.5	750	710
700 x 15 10PR	5.5	1,060	925
700 x 15 12PR	5.5	1,180	1,120
750 x 15 12PR	6.0	1,385	1,315
700 x 16 10PR	5.5	1,100	965
700 x 16 12PR	5.5	1,225	1,075
750 x 16 12PR	6.0	1,440	1,370
750 x 16 14PR	6.0	1,510	1,440
825 x 16 14PR	6.5	1,710	1,630

GT LUG

DESIGNED FOR EXTREME CONDITION

- ▶ Excellent traction on extreme mud surface and unpaved roads, quick heat dissipation with broad shoulder gap.
- ▶ Highly resistant to cut and chip, longer mileage and excellent grip on paved road.
- ▶ Provides heavy load bearing capacity



SIZE	RIM	MAX LOAD (kg)	
		S	D
700 x 15 12PR	5.5	1,180	1,120
750 x 15 12PR	6.0	1,385	1,315
700 x 16 12PR	5.5	1,220	1,080
750 x 16 12PR	6.0	1,440	1,370
750 x 16 14PR	6.0	1,510	1,440
825 x 16 14PR	6.5	1,710	1,630
825 x 20 14PR	6.5	2,030	1,930
900 x 20 14PR	7.0	2,575	2,300
1000 x 20 16PR	7.5	3,000	2,650
1100 x 20 16PR	8.0	3,350	2,900

TRUCK & BUS

GT SUPER GRIP

SPECIALLY DESIGNED FOR LOGGING, MINING AND CONSTRUCTION WORKS

- ▶ Provides strong grip and maximum stability for heavy duty application.
- ▶ Highly resistant to tearing, cutting and snagging by rock.
- ▶ Good traction and quick mud self cleaning ability.



SIZE	RIM	MAX LOAD (kg)	
		S	D
1000 x 20 16PR	7.5	3,000	2,650
1100 x 20 16PR	8.0	3,350	2,900
1200 x 24 18PR	8.5	4,250	3,750
1200 x 24 20PR	8.5	4,415	3,875
1200 x 20 18PR	8.5	3,750	3,350

GT LUG PRO

DESIGNED FOR EXTREME CONDITION

- ▶ Ability to perform in extreme condition.
- ▶ Enhances traction and braking performance in all conditions, especially in muddy and rocky conditions.
- ▶ Minimizes tire deformation, for heavy duty and longer mileage.



SIZE	RIM	MAX LOAD (kg)	
		S	D
1000 x 20 16PR	7.5	3,000	2,800

OFF THE ROAD

GT SUPER TRACTION

SPECIALLY DESIGNED FOR GOOD TRACTION AND FLOATING ON MUDDY GROUND

- ▶ Increases traction and grip on rocky or muddy terrain to maximize the performance of wheel loader.
- ▶ Excellent on every extreme condition and lasts longer to save on operational cost.
- ▶ Stronger tire wall and resistant to tear.



SIZE	RIM	MAX LOAD (kg)	CODE
1300 X 24 12PR T/T	8.0	2,575	G2
1400 X 24 12PR T/T	8.0	3,075	G2
17.5 X 25 12PR T/T	14.0	6,150	L2
17.5 X 25 16PR T/T	14.0	7,300	L2
17.5 X 26 16PR L-2 T/L	14.0	7,300	L2
15.5 X 25 12PR T/L	12.0	5,600	L2

GT ROCK GRIP

SPECIALLY DESIGNED TO HANDLE ALL KINDS OF TOUGH JOBS ANYWHERE

- ▶ Great maneuverability and grip on open pit / open mine or other extreme conditions.
- ▶ Long lasting and resistant to tears, cuts and snags. Heat resistant compound also helps the tire to cool down even faster.
- ▶ Helps the tire to cool down faster for higher TKPH (Ton Kilometer Per Hour) performance.



SIZE	RIM	MAX LOAD (kg)
16.00 X 25 28PR T/L	11.25	11,500
20.5 X 25 16PR T/L	17.0	8,250
20.5 X 25 20PR T/L	17.0	9,500
23.5 X 25 16PR T/L	19.5	9,500
23.5 X 25 20PR T/L	19.5	10,900
26.5 X 25 20PR T/L	22.0	13,200
26.5 X 25 24PR T/L	22.0	14,000
26.5 X 25 28PR T/L	22.0	15,500

INDUSTRIAL

GT GRIP

DESIGNED FOR FORKLIFT APPLICATION

- ▶ Long lasting and provides exceptional grip on road surface, both inside and outside industrial area.
- ▶ Excellent stability, especially at industrial area. High mobility and efficiency.
- ▶ Increases grip ability for maximum load of the forklift.



SIZE	RIM	MAX LOAD (kg)	
		S	D
600 x 9 10PR	4.0	1,905	1,410
650 x 10 10PR	5.0	2,105	1,560
700 x 12 12PR	5.0	2,775	2,055
825 x 15 14PR	6.5	3,830	3,235

GOLF TIRE

GT TRACK MASTER

DESIGNED FOR GOLF CARTS AND UTILITY VEHICLES

- ▶ Delivers high cut chip resistance and outstanding mileage
- ▶ Supports traction on sand surface
- ▶ Provides great grip for turf and pavement



SIZE	RIM
18 x 8.5 4PR	8.0

Manufactured by PT GAJAH TUNGGAL tbk

